

GLEEM Testing Fixture

by David Gray

ARL-TN-360 July 2009

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer needed. Do not return it to the originator.

Army Research Laboratory

Aberdeen Proving Ground, MD 21005-5069

ARL-TN-360 July 2009

GLEEM Testing Fixture

David Gray Weapons and Materials Research Directorate, ARL

Approved for public release; distribution is unlimited.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY)	2. REPORT TYPE	3. DATES COVERED (From - To)
July 2009	Final	November 2007–May 2009
4. TITLE AND SUBTITLE	•	5a. CONTRACT NUMBER
GLEEM Testing Fixture		
		5b. GRANT NUMBER
		5c. PROGRAM ELEMENT NUMBER
6. AUTHOR(S)		5d. PROJECT NUMBER
David Gray		98M428
		5e. TASK NUMBER
		5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory ATTN: RDRL-WMM-B		8. PERFORMING ORGANIZATION REPORT NUMBER
		ARL-TN-360
Aberdeen Proving Ground, MI	21005-5069	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)
12 DISTRIBUTION/AVAILABILITY ST	ATEMENT	

12. DISTRIBUTION/AVAILABILITY STATEMENT

Approved for public release; distribution is unlimited.

13. SUPPLEMENTARY NOTES

14. ABSTRACT

A test method was used to develop a process to emplace a refractory metal liner inside a gun tube as a part of an effort at the U.S. Army Research Laboratory to develop an autofrettage gun barrel application. The process consisted of filling the liner with an elastomeric material and then slipping this arrangement into the gun tube. The ends of the liner were plugged with plastic disks, and pressure was applied to the elastomeric material by a load frame. A test fixture was developed to facilitate containment and alignment of the gun barrel during testing. The fixture is described in this report, and preliminary data is provided to show the utility of the fixture.

15. SUBJECT TERMS

GLEEM testing fixture, tech note, autofrettage, gun liner emplacement by elastomeric material

16. SECURITY CLASSIFICATION OF:		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON David Gray	
a. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER (Include area code)
Unclassified	Unclassified	Unclassified	UU	20	410-306-0852

Contents

Lis	st of Figures	iv
1.	Introduction	1
2.	Testing Assembly and Load Frame Installation	2
3.	Fixture Description	5
4.	Test Procedure	6
5.	Conclusions and Recommendations	7
Dis	stribution List	8

List of Figures

Figure 1.	GLEEM 100,000-lb compression fixture.	. 1
Figure 2.	Schematic of GLEEM application setup.	.2
Figure 3.	Four-inch test coupon assembly.	.3
Figure 4.	Assembled 4-inch test coupon.	.3
Figure 5.	MTS 100,000-lb load frame with single top compression platen.	.4
Figure 6.	GLEEM fixture 12-inch test sample adaptation.	.4
Figure 7.	GLEEM fixture with 12-inch test sample.	.5
Figure 8.	GLEEM fixture drawing	.5
Figure 9.	Complete assembly prior to testing.	.6
Figure 10	. Hoop strain vs. internal pressure.	.7

1. Introduction

The term GLEEM (patent pending) is derived from "Gun Liner Emplacement by Elastomeric Material" developed by Drs. Robert Carter, U.S. Army Research Laboratory, and Bill de Rosset, Dynamic Science, Inc., as a potential economic way to apply liners to and/or induce a state of autofrettage in gun barrel applications. By compressing an elastomeric material inside the tube, plastic deformation of the gun tube was produced, resulting in a compressive residual stress near the surface of the liner/gun tube interface. This strengthened the gun tube and allowed higher operating pressures and longer fatigue life.¹ In order to achieve the compressive loads required to obtain the desired bond strength, a fixture was made to constrain test coupons (see figure 1). Previously, there was no fixture available for the GLEEM process.



Figure 1. GLEEM 100,000-lb compression fixture.

¹Carter, R. H.; Gray, D. M.; de Rosset, W. GLEEM – A New Composite Gun Tube Processing Technology. ASC paper; U.S. Army Research Laboratory: Aberdeen Proving Ground, MD, 2008.

2. Testing Assembly and Load Frame Installation

The fixture was designed to restrain only the steel barrel while allowing the insert material to plastically deform unhindered, via the expansion of the elastomeric plug, as loads increased. A schematic of a GLEEM process is shown in figure 2. Without the restraints, the liner and gun tube move, causing the sealing discs to fail and allowing the elastomeric plug to blow out of the bottom. A typical coupon assembled in fixture is shown in figures 3 and 4.

The fixture threads into the lower ram actuator of a Material Test Systems (MTS)/Instron load frame. The upper load cell has a threaded platen to drive the piston down into the sealing caps of the test coupon. The MTS load frame control software is used to compress at an inch/minute rate and hold at a final predetermined load set by Drs. Robert Carter and Bill de Rosset. The MTS 100,000-lb hydraulic model load frame installation is shown in figure 5. By changing length of the restraining rods, the GLEEM fixture is also capable of testing a longer steel tube sample, as can be seen in figures 6 and 7.




Figure 2. Schematic of GLEEM application setup.¹



Figure 3. Four-inch test coupon assembly.



Figure 4. Assembled 4-inch test coupon.



Figure 5. MTS 100,000-lb load frame with single top compression platen.



Figure 6. GLEEM fixture 12-inch test sample adaptation.



Figure 7. GLEEM fixture with 12-inch test sample.

3. Fixture Description

Figures 8 and 9 describe the components of the GLEEM fixture and their purposes.




Figure 8. GLEEM fixture drawing.



Figure 9. Complete assembly prior to testing.

4. Test Procedure

The load frame used was the MTS 100,000-lb maximum load with a cross head rate of 0.1 in/min. To allow internal pressure equalization, the software was configured to ramp to 90,000 lb and hold. The specimen was placed in the fixture according to the procedure described in the fixture description in section 3.

Tests were considered complete when the controls detected a 40% load drop from peak compressive load or 1 hr of static state. Load ram was returned to 0 after the test was completed. Figure 10 is a typical test graph showing calculated internal pressure vs. measured hoop strain on the outer surface of the jacket while constrained in the GLEEM fixture. The steel yield strength was 160 ksi. The pressure was calculated by dividing the load by the surface area of the piston. The gage used was in the center of a 4-in cylinder, minimizing the frictional effects affecting the pressure.




Figure 10. Hoop strain vs. internal pressure.

5. Conclusions and Recommendations

A functional test fixture was designed and fabricated to hold and align GLEEM specimens, providing desired test data and bond strength results consistently between the various experimental liner materials.

NO. OF

COPIES ORGANIZATION

1 DEFENSE TECHNICAL
(PDF INFORMATION CTR
only) DTIC OCA
8725 JOHN J KINGMAN RD
STE 0944
FORT BELVOIR VA 22060-6218

- 1 DIRECTOR
 US ARMY RESEARCH LAB
 IMNE ALC HRR
 2800 POWDER MILL RD
 ADELPHI MD 20783-1197
- 1 DIRECTOR
 US ARMY RESEARCH LAB
 RDRL CIM L
 2800 POWDER MILL RD
 ADELPHI MD 20783-1197
- DIRECTOR
 US ARMY RESEARCH LAB
 RDRL CIM P
 2800 POWDER MILL RD
 ADELPHI MD 20783-1197

ABERDEEN PROVING GROUND

1 DIR USARL RDRL CIM G (BLDG 4600)

- 1 DIRECTOR
 US ARMY RSRCH LAB
 RDRL SED E
 R ATKINSON
 2800 POWDER MILL RD
 ADELPHI MD 20783-1197
- 6 DIRECTOR
 US ARMY RSRCH LAB
 RDRL WMM B
 A ABRAHAMIAN
 M BERMAN
 M CHOWDHURY
 A FRYDMAN
 R KARGUS
 T LI
 2800 POWDER MILL RD
 ADELPHI MD 20783-1197
- 1 COMMANDER
 US ARMY MATRL CMND
 AMXMI INT
 9301 CHAPEK RD
 FORT BELVOIR VA 22060-5527
- 1 COMMANDER
 US ARMY TACOM ARDEC
 AMSRD AAR EM
 J HEDDERICH BLDG 94
 PICATINNY ARSENAL NJ 07806-5000
- 1 COMMANDER
 US ARMY TACOM ARDEC
 AMSRD AAR EMT
 B MACHAK BLDG 1
 PICATINNY ARSENAL NJ 07806-5000
- 4 COMMANDER
 US ARMY TACOM ARDEC
 AMSRD AAR AEP E
 K LAUGHLIN
 S GROESCHLER
 J LEE
 J VEGA
 BLDG 94
 PICATINNY ARSENAL NJ 07806-5000
- 1 COMMANDER
 US ARMY TACOM ARDEC
 AMSRD AAR AEM J
 G FLEMING BLDG 65N
 PICATINNY ARSENAL NJ 07806-5000

NO. OF COPIES ORGANIZATION

- 1 COMMANDER
 US ARMY TACOM ARDEC
 AMSRD AAR EBM
 R CARR BLDG 65N
 PICATINNY ARSENAL NJ 07806-5000
- 1 COMMANDER
 US ARMY TACOM ARDEC
 AMSRD AAR EBM
 W SHARPE
 BLDG 1
 PICATINNY ARSENAL NJ 07806-5000
- 3 COMMANDER
 US ARMY TACOM ARDEC
 SFAE AMO MAS LC
 R DARCY
 R JOINSON
 D RIGOGLIOSO
 BLDG 354
 PICATINNY ARSENAL NJ 07806-5000
- 1 COMMANDER
 US ARMY TACOM ARDEC
 AMSRD AAR AEM L
 P DONADIA
 BLDG 65 S
 PICATINNY ARSENAL NJ 07806-5000
- 2 COMMANDER
 US ARMY TACOM ARDEC
 AMSRD AAR AEM
 A VELLA BLDG 354
 J LUTZ BLDG 354
 PICATINNY ARSENAL NJ 07806-5000
- 1 COMMANDER
 US ARMY TACOM ARDEC
 AMSRD AAR AEM
 T LOUZEIRO 65
 PICATINNY ARSENAL NJ 07806-5000
- OMMANDER
 US ARMY TACOM ARDEC
 AMSRD AAR AEM
 L MANOLE BLDG 65N
 PICATINNY ARSENAL NJ 07806-5000

- 3 COMMANDER
 US ARMY TACOM ARDEC
 AMSRD AAR AEM
 S MUSALLI BLDG 65S
 M LUCIANO BLDG 65S
 E LOGSDEN BLDG 65S
 PICATINNY ARSENAL NJ 07806-5000
- 1 COMMANDER
 US ARMY TACOM ARDEC
 AMSRD AAR AEE P
 D KAPOOR BLDG 25
 PICATINNY ARSENAL NJ 07806-5000
- 1 COMMANDER
 US ARMY TACOM ARDEC
 AMSRD AAR AEE P
 S KERWIEN BLDG 60
 PICATINNY ARSENAL NJ 07806-5000
- 1 COMMANDER
 US ARMY TACOM ARDEC
 AMSRD AAR AIP
 M LOS BLDG 1
 PICATINNY ARSENAL NJ 07806-5000
- AMMUN TEAM
 AMSIO SMT
 R CRAWFORD
 W HARRIS
 1 ROCK ISLAND ARSENAL
 ROCK ISLAND IL 61299-6000

SFSJM CDL

- 7 BENET LABS
 AMSTA AR CCB
 M SOJA
 E KATHE
 G SPENCER
 P WHEELER
 S KRUPSKI
 J VASILAKIS
 G FRIAR
 WATERVLIET NY 12189-4050
- 5 BENET LABS
 AMSTA CCB R
 S SOPOK
 E HYLAND
 D CRAYON
 R DILLON
 G VIGILANTE
 WATERVLIET NY 12189-4050

NO. OF COPIES ORGANIZATION

- 1 US ARMY TARDEC AMSRD TAR R D TEMPLETON 6501 E 11 MILE RD MS 263 WARREN MI 48397-5000
- 1 PEO GROUND COMBAT SYS SFAE GCS BCT/MS 325 M RYZYI 6501 ELEVEN MILE RD WARREN MI 48397-5000
- 2 USA RDECOM
 AMSRD AMR AE F T
 F RUMPF
 J CHANG
 BLDG 488 B247
 REDSTONE ARSENAL AL 35898
- 1 USA RDECOM
 AMSRD AMR AE F A
 M ROGERS
 BLDG 4488 B244
 REDSTONE ARSENAL AL 35898
- 3 USA RDECOM
 AMSRD AMR AE F M
 K BHANSALI
 G LIU
 R MCFARLAND
 BLDG 4488 B272
 REDSTONE ARSENAL AL 35898
- 4 US ARMY RSRCH OFC
 J PRATER
 D STEPP
 D KISEROW
 W MULLINS
 PO BOX 12211
 RESEARCH TRIANGLE PARK NC
 27709-2211
- 1 COMMANDER
 US ARMY TACOM ARDEC
 AMSTA AR CCL B
 J MIDDLETON
 BLDG 65N
 PICATINNY ARSENAL NJ 07806-5000
- 1 COMMANDER
 US ARMY TACOM ARDEC
 ASIC PRGM INTEGRATION OFC
 J RESCH
 BLDG 1
 PICATINNY ARSENAL NJ 07806-5000

NO. OF NO. OF **COPIES ORGANIZATION COPIES ORGANIZATION COMMANDER** FORT SILL FIELD ARTILLERY US ARMY TACOM ARDEC TSM CANNON AMSRD AAR AEW M(D) J TANZI M MINISI FORT SILL OK 73503 BLDG 65 N PICATINNY ARSENAL NJ 07806-5000 1 FORT SILL FIELD ARTILLERY TCM FSC3 US ARMY TACOM ARDEC J HAITHCOCK AMSRD AR CCL C 569 CRUIKSHANK CIR S SPICKERT-FULTON FORT SILL OK 73503 BLDG 65 N PICATINNY ARSENAL NJ 07806-5000 **DARPA** S WAX US ARMY ARDEC 3701 N FAIRFAX DR AMSRD AAR AEM I **ARLINGTON VA 22203-1714** D CONWAY BLDG 65 N INST FOR ADVANCD TECH 3 PICATINNY ARSENAL NJ 07806-5000 H FAIR I MCNAB 3 PM ARMS S BLESS SFAE AMO MAS SMC 3925 W BRAKER LN R KOWALSKI AUSTIN TX 78759-5316 F HANZL ALLIANT TECHSYSTEMS INC P RIGGS **BLDG 354** C AAKHUS PICATINNY ARSENAL NJ 07806-5000 D KAMDAR R DOHRN PM ARMS MN07 LW54 SFAE AMO MAS MC 5050 LINCOLN DR **BLDG 354 EDINA MN 55436** PICATINNY ARSENAL NJ 07806-5000 ATK FORT SILL FIELD ARTILLERY M JANTSCHER S COFFMAN MN07 LW54 **G LEMONS** 4700 NATHAN LN N PLYMOUTH MN 55442 **B LEWIS** J HALL ALLIANT TECHSYSTEMS INC D CARLSON R NELSON R BECKER C NIEDERHAUSER MN11 2626 **BUILDING 700 (KNOX HALL)** 5050 LINCOLN DR FORT SILL OK 73503 EDINA MN 55340-1097 FORT SILL FIELD ARTILLERY ATK LAKE CITY FDIC USAFAC SMALL CALIBER AMMUN **D BROWN** LAKE CITY ARMY AMMUN PLANT **BUILDING 700 (KNOX HALL)** K ENLOW FORT SILL OK 73503 D MANSFIELD PO BOX 1000 FORT SILL FIELD ARTILLERY INDEPENDENCE MO 64051-1000 HQ US ARMY FIRES CTR R HADDOCK

640 MCBRIDE AVE FORT SILL OK 73503

1 ATK LAKE CITY LAKE CITY ARMY AMMUN PLANT SMALL CALIBER AMMUN J WESTBROOK MO10 003 PO BOX 1000 INDEPENDENCE MO 64051-1000

- 2 DIRECTOR LLNL S DETERESA F MAGNESS PO BOX 808 LIVERMORE CA 94550
- 1 ARMTEC DEFENSE PRODUCTS S DYER 85 901 AVE 53 PO BOX 848 COACHELLA CA 92236
- 3 PACIFIC NORTHWEST LAB M SMITH G VAN ARSDALE R SHIPPELL PO BOX 999 RICHLAND WA 99352
- 1 CUSTOM ANALYTICAL ENG SYS INC A ALEXANDER 13000 TENSOR LANE NE FLINTSTONE MD 21530
- 3 ALLIANT TECHSYSTEMS INC
 J CONDON
 E LYNAM
 J GERHARD
 WV01 16 STATE RT 956
 PO BOX 210
 ROCKET CENTER WV 26726-0210
- 2 GENERAL DYNAMICS OTS FLINCHBAUGH DIV K LINDE G KURZIK PO BOX 127 RED LION PA 17356
- 1 ARROW TECH ASSOC 1233 SHELBURNE RD STE D8 SOUTH BURLINGTON VT 05403-7700

NO. OF COPIES ORGANIZATION

- 1 UNIV OF CINCINNATI
 DEPT OF AEROSPACE ENG & ENG
 MECHANICS
 A TABIEI
 722 RHODES HALL
 PO BOX 210070
 CINCINNATI OH 45221-0070
- 4 UNIV OF DELAWARE
 CTR OF COMPOSITE MTRLS
 J GILLESPIE
 S LOPATNIKOV
 S YARLAGADDA
 S ADVANI
 215 COMPOSITES MANUFAC SCI LAB
 NEWARK DE 19716
- 1 UNIV OF DELAWARE CTR OF COMPOSITE MTRLS M SANTARE 126 SPENCER LAB NEWARK DE 19716
- 1 DEPT OF MECH ENG UNIV OF NEVADA LAS VEGAS M TRABIA 4505 MARYLAND PKWY BOX 454027 LAS VEGAS NV 89154-4027

ABERDEEN PROVING GROUND

- 1 US ARMY ATC
 CSTE DTC AT AD I
 W FRAZER
 400 COLLERAN RD
 APG MD 21005-5059
- 63 DIR USARL
 RDRL CI
 RDRL D
 R SKAGGS
 RDRL LOA F
 M ADAMSON
 RDRL SL
 R COATES
 RDRL WMB C
 J SMITH
 RDRL WM
 S KARNA
 J MCCAULEY

NO. OF COPIES ORGANIZATION

P PLOSTINS
T WRIGHT
RDRL WMB
M ZOLTOSKI
J NEWILL
RDRL WMB A
D LYON
RDRL WMB C
P WEINACHT
RDRL WM
L BURTON
J COLBURN
B FORCH
RDRL WMB D
P CONROY
RDRL WMB F
W OBERLE
RDRL WMM
H MAUPIN
S MCKNIGHT
J BEATTY
R DOWDING

RDRL WMT A S SCHOENFELD **D HACKBARTH RDRL WMT** C HOPPEL RDRL WMT B R GUPTA **B MCANDREW** RDRL WMT C T BJERKE **G BOYCE** K KIMSEY L MAGNESS **B SCHUSTER B SORENSEN** R SUMMERS **B WALTERS** RDRL WMT D N GNIAZDOWSKI RDRL WMT D D CASEM T WEERASOORIYA

RDRL WMT E

B RINGERS

RDRL WMM A M VANLANDINGHAM RDRL WMM B

J BENDER

T BOGETTI R CARTER

W DE ROSSET

W DRYSDALE R EMERSON

D HOPKINS

R KASTE

L KECSKES

E KLIER

M MINNICINO

B POWERS

D SNOHA

J SOUTH

J SWAB

J TZENG

RDRL WMM C

M MAHER

W SPURGEON

RDRL WMM D

E CHIN

J ADAMS

B CHEESEMAN

J MONTGOMERY

RDRL WMT

P BAKER

INTENTIONALLY LEFT BLANK.